
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Ag 84Pro

Using ANSW Less



Many of us eat too much sugar, fat, and sodium.

For better health, begin to make a few small changes in what you eat.

Less sugar, fat, and sodium is t

- Your weight
- Your teeth
- Your heart
- Your blood pressure

Many foods we eat have a lot of

Foods that have a lot of sugar or sodium managed ingredient labels to find them in foods.

Sugar added to food has many names:

dextrose

fructose

glucose

honey

maltose

molasses

sucrose

syrups

The **fat** in foods gives you a lot of calories ar Many foods have more fat in them than you

Choose more foods that are low in fat:

High Fat Meal

Fried Chicken French Fries Whole Milk Apple Pie 1 drumstick has 2 teaspoons 10 strips have 2 teaspoons 1 cup has 2 teaspoons 1 slice has 3 teaspoons

Total fat = 9 teaspoons

Less sugar, fat, and sodium is better for:

- Your weight
- Your teeth
- Your heart
- Your blood pressure



Many foods we eat have a lot of sugar, fat, and sodium.

Foods that have a lot of sugar or sodium may not taste sweet or salty. Read ingredient labels to find them in foods.

- Sugar added to food has many names:
 - dextrose
 - fructose
 - glucose
 - honey
 - maltose
 - molasses
 - sucrose
 - syrups

- Most of the **sodium** we eat is added to food as salt or other ingredients.
- You can tell if an ingredient has sodium in it. "Soda," "salt," or "sodium" will be in the ingredient name.

For example:

INGREDIENTS: Potatoes, vegetable oil, whey, salt, dried milk solids, sour cream, onion salt, monosodium glutamate, dried parsley, lactic acid, sodium citrate, artificial flavors.

The **fat** in foods gives you a lot of calories and very few nutrients. Many foods have more fat in them than you think.

Choose more foods that are low in fat:

High Fat Meal

Fried Chicken French Fries Whole Milk Apple Pie 1 drumstick has 2 teaspoons 10 strips have 2 teaspoons 1 cup has 2 teaspoons 1 slice has 3 teaspoons

Total fat = 9 teaspoons

Lower Fat Meal

Baked Chicken Baked Potato 2% Lowfat Milk Baked Apple Margarine 1 drumstick has 1 teaspoon 1 medium has no fat 1 cup has 1 teaspoon 1 large has no fat 1 teaspoon has 1 teaspoon

Total fat = 3 teaspoons

Think about the formation There are easy ways to lower

igar, fat, and salt are in many ods we eat:

Small changes you can make to eat less sugar, fat, and salt:

Vegetables and Fruits

- Canned vegetables and frozen vegetables with sauces have added salt.
- Eat more fresh vegetables. Buy more plain frozen vegetables and add your own flavors and sauces at home.
- Simmer, bake, or stir-fry vegetables using little or no salt or fat.
- Eat more fresh fruits and fruits canned in natural juice or light syrup.

Some frozen fruits, and fruits canned in syrup, have added sugar.

Bread, Cereal, Rice, and Pasta

Bakery items such as cookies, cakes, pies, and pastries have a lot of fat and sugar.

Sweetened breakfast cereals come with a lot of added sugar.

- Buy fewer bakery items. Try new recipes at home that use less fat and sugar.
- Buy cereals without sugar. Make cereals sweet with fresh or canned fruit.
- Shop for foods without sauces and add your own flavorings at home.
- Use little or no salt in water to cook noodles, spaghetti, rice, and hot cereal.

Instant cereals, rice, and pasta that come with flavor packets are usually high in salt.

Think about the foods you usually eat. There are easy ways to lower sugar, fat, and salt in your meals.

Sugar, fat, and salt are in many foods we eat:

Small changes you can make to eat less sugar, fat, and salt:

Vegetables and Fruits

- Canned vegetables and frozen vegetables with sauces have added salt.
- Eat more fresh vegetables. Buy more plain frozen vegetables and add your own flavors and sauces at home.
- Some frozen fruits, and fruits canned in syrup, have added sugar.
- Simmer, bake, or stir-fry vegetables using little or no salt or fat.
- Eat more fresh fruits and fruits canned in natural juice or light syrup.

Bread, Cereal, Rice, and Pasta

- Bakery items such as cookies, cakes, pies, and pastries have a lot of fat and sugar.
- Sweetened breakfast cereals come with a lot of added sugar.
- Instant cereals, rice, and pasta that come with flavor packets are usually high in salt.

- Buy fewer bakery items. Try new recipes at home that use less fat and sugar.
- Buy cereals without sugar. Make cereals sweet with fresh or canned fruit.
- Shop for foods without sauces and add your own flavorings at home.
- Use little or no salt in water to cook noodles, spaghetti, rice, and hot cereal.

Sugar, fat, and salt are in many foods we eat:

Small changes you can make to eat less sugar, fat, and salt:

Milk and Milk Products

- Whole milk, ice cream, and many cheeses have fat.
- Butter, cream, sour cream, and cream cheese are very high in fat.
- Drink more low-fat or skim milk, and cook with them. Try cheeses made from skim milk, too.
- Buy soft margarine made from vegetable oils.
- Use other dairy products high in fat less often.

Fish, Poultry, and Meat

- Frozen fish, poultry, and meats coated with bread crumbs have added salt and fat.
- Processed meats such as hot dogs, sausages, and lunch meats are usually high in fat and salt.
- Hot soups and stews can hide a lot of fat.

- Buy fresh lean meats. Trim fat from the edges before you cook or eat them.
- Remove skin from poultry before eating. The skin has a lot of fat.
- Roast, bake, or broil meat on a rack so the fat drips off.
- Read package labels to choose products lowest in fat and sodium.
- Chill meat or poultry broth. Spoon off the fat after it becomes solid.

At the stove and at the table: Add less sugar, fat, and salt to foods. Get into the habit of using half as much.

Dietary Guidelines for Americans

Eat a variety of foods.

Maintain desirable weight.

Avoid too much fat, saturated fat, and cholesterol.

Eat foods with adequate starch and fiber.

Avoid too much sugar.

Avoid too much sodium.

If you drink alcoholic beverages, do so in moderation.